



THE BEST MANUFACTURER

THE BEST MANUFACTURER



AQUA-WIN WATER CORPORATION

No.668, Da Feng 2nd Road,
Kaohsiung, Taiwan 807, R.O.C.
TEL: +886 7-389-3888
FAX: +886 7-381-6865
E-mail: info@hibox.hinet.net
Website: www.aquawin.com.tw



AW-1901

Direct Flow RO system
(Tankless)

Two Stages RO System



1st Stage PPC Filter:
Carbon meets NSF61 Standard
2nd Stage RO membrane:
Meets RoHS(EU) Standard



Tankless & direct flow design,
space saving up to 60%



Direct Drinking Filter virus, bacteria & heavy metal Pre-filtered & RO water Waste water ratio, more water saving



Twist and pull out old cartridge



Twist and push in new cartridge



TDS display
water quality

RO PPC Power

*White indicator light in normal condition
*Red indicator light for cartridge replacing alert
*Smart LED Display

**Horizontal Cartridges
Easy Replacement**

AWJ series

AUTOMATICAL WATER SOFTENER (RED)



Soft water for gentle protection

Protect family with clean water

Anti Limescale

BENEFITS of soften water

- Anti limescale**
Soften water and increase life span of water heater, humidifier and other water equipment by prevent blockage and forming of limescale
- Soften clothes**
Better washing result, keep clothes soft and prevent color fading even washing for multiple times.
- Body care & hair care**
Soften hair after bathing, prevent hair from breakage and knotting.
- Easy cleaning of lavatory**
Prevent yellowish of bathtub, toilet and ceramic tiles.
- Better result for car grooming**
No limescale or water marks after car wash, good polish effect for car paint and mirrors.

AWJ-12L

AWJ-25L



LED screen display ; simple operating with few buttons Space saving with all in one design Low maintenance cost

AWJ-12L	
Resin capacity	12L
Dimension	48 x 33 x 60 cm
AWJ-25L	
Resin capacity	25L
Dimension	48 x 33 x 106 cm

WHOLE HOUSE STAINLESS STEEL ANTI BACTERIA UF WATER FILTRATION SYSTEM



Cafeteria Drinking Cooking Tea


Features

High water flow, no electric needed

Washable filter with longer lifespan

Pore size between ceramic filter and RO filter, can be used to filter bacteria

Pore Size diagram



Model	Flow rate	Dimension (Length*Width*Height)
HY-UF-1000	1000 liter/h	50*15*18cm
HY-UF-1500	1500 liter/h	57.5*15*18cm
HY-UF-2000	2000 liter/h	77*15*18cm
HY-UF-2500	2500 liter/h	79*15*18cm
HY-UF-3000	3000 liter/h	93*15*18cm
HY-UF-4000	4000 liter/h	116.5*15*18cm

- Remove chlorine
- Remove Lead
- Anti-bacteria
- Anti-limescale



Multiple Functions Filters in Aluminum Housings



Dimension (H)45cm x (L)28cm x (D)18cm



Dimension: (Height)37.5cm x (Diameter)7.5cm

- Service life** Lifespan about 2000Gallon(7570liters) or 12months (Depends on water quality, water usage & water pressure)
- Highest pressure** 125PSI
- Inlet water temperature** 2~38° C
- Flow** 0.5GPM



- TW/S105** Remove chlorine/Lead
- TW/H105** Remove chlorine/Lead Anti limescale
- TW/SU108** Remove chlorine/Lead Anti bacteria
- TW/UF588** Ultra fiber membrane filters bacteria



High flow RO System (Commercial&Business Use)

Daily water production(800~9000gallon)
Suitable for different requirement



Application



Model	Water production (Day)	Water flow
HY-8800G	800Gallon	125 liter/hour
HY-81500G	1500Gallon	236 liter/hour
HY-83000G	3000Gallon	472 liter/hour
HY-86000G	6000Gallon	945 liter/hour
HY-89000G	9000Gallon	1417 liter/hour


*Picture shown for reference only, exact appearance based on shipping.



Whole house Water Purifier

304 Stainless Steel

Clean water for residential



- Length: **10", 15", 20"**
- Max. working pressure: **10kg/cm²**
- Housing working temp: **5~45°C**
- Water inlet: **1" NPT**
- Applicable:
 - Whole house prefiltration**
 - Filters working temp: **Might differ with different filters**



HY-6500G

Tankless Direct Flow RO System (500GPD)



Direct Drinking



High flow RO membrane



Quick change cartridges

5 Stages Cartridges

- 1 PP sediment filter** Lifespan 3-6months
Remove silt, mud, rust, gum, forming compounds and solid impurities.
- 2-3 Coconut carbon filter** Lifespan 3-6months
Bring better taste by using high iodine value carbon that absorbs chlorine, odor and color.
- 4 500GPD RO membrane** Lifespan 1-3years
Remove virus, bacteria, lime scale, heavy metal and organic contaminants that might cause cancer.
- 5 Nano silver activated carbon filter** Lifespan 1year
Carbon block coated with nano-silver non-woven fabric, antibacterial effectively.



Direct flow with tankless design, Space saving up to 60%.
Dimension: (W)26 x (L)27 x (H)47 cm

Designed by @ireshock / @macrovector / Freepik



AW-7816 Standing Type Water Dispenser (Hot/Cold/Warm)

AW-8816 Standing Type Water Dispenser (Hot/Warm)

Best choice for commercial use

High capacity stainless steel hot water tank

20L Hot **7L** Warm **3L** Cold



20L hot water



5stages filtration



Single core heat exchange



Instant cold



SS304 faucet

Model: AW-7816
Color: Stainless steel
Temperature: Hot/Cold/Warm
Dimension: 42*47*126cm
Capacity: hot 20liter/warm 7liter/ cold 3liter
Voltage: 110V / 60Hz; 220V / 50~60Hz
Power: Hot 750W / Cold 100W
Optional: Reverse Osmosis Filtration System



Model: AW-8816
Color: Stainless steel
Temperature: Hot/Warm
Dimension: 42*47*126cm
Capacity: hot 20liter/warm 7liter
Voltage: 110V / 60Hz; 220V / 50~60Hz
Power: Hot 750W
Optional: Reverse Osmosis Filtration System




HY-6099 RO SYSTEM




Dimension: (W)22 x (L)26 x (H)45 cm

- ✓ Small size design, Space saving
- ✓ Water pressure gauge for instant checking

Replacement



Twist clockwise for removing old cartridge



Twist anti-clockwise to fit in new cartridge



Photographed by @tbrodeman / Freepik

5 Stages of Filters

- 1 Sediment pre-filter** lifespan 3-6mths
Remove silt, rust, colloid, solid particles & suspended impurities.
- 2-3 Coconut filters** lifespan 3-6mths
High iodine value coconut carbon to absorb chlorine, odor & color, helps improve taste of water.
- 4 RO Membrane** lifespan 1-3years
Remove virus, bacteria, lime scale, calcareous, heavy metal & organic contaminants.
- 5 Post carbon filter** lifespan 1year
Good quality coconut carbon is used to absorb micro organic particle from pressure tank.

Stop valve design, No need turn off water inlet

Quick change cartridge special design by AQUA-WIN. More time saving & more convenient when replacing. No tools is needed, replacement can be done in few seconds with only one twist.



Photographed by @Racool_Studio / Freepik

Pure water for better lifestyle

Easy use
Easy installation

- Dust-proof compact design
- LED smart display
- Quick change type cartridge

✓ 90° lift up for replacement

✓ Cartridge cap with water stop valve design

Dimension: (L)35* (W)21 * (H)39 cm

5 Stages of Filters

- 1 Sediment pre-filter** lifespan 3-6mths
Remove silt, rust, colloid, solid particles & suspended impurities.
- 2-3 Coconut filters** lifespan 3-6mths
High iodine value coconut carbon to absorb chlorine, odor & color, helps improve taste of water.
- 4 RO Membrane** lifespan 1-3years
Remove virus, bacteria, lime scale, calcareous, heavy metal & organic contaminants.
- 5 Post carbon filter** lifespan 1year
Good quality coconut carbon is used to absorb micro organic particle from pressure tank.



HY-5500G-2T
Tankless Direct Flow RO System

Advantages

- Water in one second**
Able to handle high water usage, do not need to wait water production.
 - High water flow**
Direct flow type RO system, fill a cup of water in less than 10seconds.
 - Space saving**
No tanks needed, save space up to 60%, can be installed in small area.
 - Prevent bacteria from storage tank**
Bacteria might be produce when water is stored in storage tank for some period, direct flow type RO system can prevent this problem.
 - Eco-friendly design**
Storage tank need to replace about every 5years for hygienic consideration. Tankless design could cut down cost and reduce solid waste at the same time.
- 1 stage : PP sediment filter
 - 2 stage: CTO block carbon filter
 - 3 stage : 500GPD RO membrane
 - 4 stage : Nano-silver activated carbon filter
- Made in Taiwan Quality Assurance**
- CE SGS NSF Water Quality COMPONENT



HY-5500G-3T
Tankless Direct Flow RO System

Advantages

- Water in one second**
Able to handle high water usage, do not need to wait for water production.
 - High water flow**
Direct flow type RO system, filling a cup of water in less than 10seconds.
 - Space saving**
No tanks needed, space saving up to 60%, can be installed in small area.
 - Prevent bacteria from storage tank**
Bacteria might be produce when water is stored in storage tank after some period, direct flow type RO system can prevent this problem.
 - Eco-friendly design**
Storage tank need to replace about every 5years for hygienic consideration. Tankless design could cut down cost and reduce solid waste at the same time.
- 1 stage : PP sediment filter
 - 2 stage: CTO block carbon filter
 - 3 stage: CTO block carbon filter
 - 4 stage : 500GPD RO membrane
 - 5 stage : K33 Post in-line Carbon
- Made in Taiwan Quality Assurance**
- CE SGS NSF Water Quality COMPONENT

大型過濾系統 Water Treatment Systems



800GPD/DAY

1500GPD/DAY

3000GPD/DAY

Industrial RO System

MODEL NO.	R.O.Output	R.O. Membrane
A-119	800GPD	4021X1
A-120	1500GPD	4040X1
A-120-1	3000GPD	4040X2
A-120-2	6000GPD	4040X4
A-120-3	9000GPD	4040X6

FRP VESSEL TANK

MODEL NO	TANK SIZE (D*H)	OPENING
C-290-1	6X18 (6L)	2.5"
C-290-2	6X35 (10L)	2.5"
C-290-10	7X35 (15L)	2.5"
C-290-3	8X35 (20L)	2.5"
C-290-12	9X35 (25L)	2.5"
C-290	10X35 (30L)	2.5"
C-290-5	10X47 (40L)	2.5"
C-290-6	10X54 (50L)	2.5"
C-290-7	12X52 (60L)	2.5"
C-290-8	13X54 (70L)	2.5"
C-290-9	14X47 (80L)	2.5"
C-290-11	14X65 (100L)	2.5"
C-190-13	16X65 (120L)	4"
C-190-16	18X65 (150L)	4"
C-190-14	21X62 (200L)	4"
C-190-15	24X72 (300L)	4"
C-190-18	30X72 (500L)	4"

FRP VESSEL TANK



Control Valve Type



Model No.: C-298-1
F20 RESIN CONTROL HEAD (STARS-110V) & (STCRS-220V) 1"



Model No.: C-299-1
F20 CONTROL VALVE (FTARS-110V) & (FTCRS-220V) (TIMER) 1"

BRINE TANK

MODEL NO.	DESCRIPTION	REMARK	TANK SIZE
C-293-2	BRINE TANK#1535	WITH SALT BASE	FRP TANK ↓ 100L
C-293-3	BRINETANK#1840	WITH SALT BASE	FRP TANK ↑ 120L



B-603
MANGANESE
GREENSAND



B-604
QUARTZ SAND



B-602-1
RESINEX ION
EXCHANGE RESIN



B-509
MAIFAN MINERAL
STONE



B-601
ACID WASHING
ACTIVATED
CARBON
B-601-1
COCONUT SHELL
ACTIVATED
CARBON

R.O.機組 R.O. System Units



HY-4020
4-STAGE R.O. SYSTEM (NO PUMP)
R.O. Output: 50 G.P.D.

- Model # : A-157 (10" Housing)
- Model # : A-157-1 (5" Housing)



HY-4030
5-STAGE R.O. SYSTEM (NO PUMP)
R.O. Output: 50 G.P.D.

- Model # : A-156 (Jaco Fittings)
- Model # : A-156-2 (EZ Fittings)



HY-6099
5-STAGE IN-LINE DISPOSABLE TYPE
RO SYSTEM (Stand Bracket)
R.O. Output: 50 G.P.D

- Model # : A-102-9 (NO WATER PRESSURE GAUGE) (PUMP)
- Model # : A-102-6 (WATER PRESSURE GAUGE) (PUMP)
- Model # : A-102-8 (WATER PRESSURE GAUGE) (PUMP) (AUTO FLUSH)



- Model # : A-102-7 (NO WATER PRESSURE GAUGE) (NO PUMP)

5-STAGE IN-LINE DISPOSABLE TYPE
RO SYSTEM (Stand Bracket)
R.O. Output: 50 G.P.D



HY-8090 NP
5-STAGE IN-LINE DISPOSABLE TYPE RO SYSTEM
R.O. Output: 50 G.P.D.
• Model # : A-225-23 (NO PUMP)

HY-8099
5-STAGE IN-LINE DISPOSABLE TYPE RO SYSTEM
R.O. Output: 50 G.P.D.
• Model # : A-225-17 (PUMP)



HY-8030
MODERN TYPE 5-STAGE RO SYSTEM
R.O. Output: 50 G.P.D.
• Model # : A-226-2 (NO PUMP)

HY-8035
MODERN TYPE 5-STAGE RO SYSTEM
R.O. Output: 50 G.P.D.
• Model # : A-225-4 (PUMP)(Insert Type)
• Model # : A-225-2 (PUMP)(Screw Type)



HY-7034
CASING STYLE 5-STAGE RO SYSTEM
R.O. Output: 50 G.P.D.
• Model # : A-107-12 (NO PUMP)
• Model # : A-107-5 (PUMP)



HY-6034-B
MODERN STAND 5-STAGE RO SYSTEM
R.O. Output: 50 G.P.D.
• Model # : A-105-8 (NO PUMP)

HY-6034-A
MODERN STAND 5-STAGE RO SYSTEM
R.O. Output: 50 G.P.D.
• Model # : A-105-7 (PUMP)



HY-3034 (Double O-ring)
5-STAGE RO SYSTEM (WITH PUMP)
(WITH SOLENOID VALVE)
R.O. Output: 50 G.P.D.
• Model # : A-101-7



HY-5034
5-STAGE RO SYSTEM (WITH PUMP)
(MANUAL FLUSH)(PUMP SIDE-HANG)
R.O. Output: 50 G.P.D.
• Model # : A-105



HY-6030
IN-LINE 5-STAGE RO SYSTEM
R.O. Output: 50 G.P.D.
• Model # : A-105-4 (NO PUMP)

HY-6034
IN-LINE 5-STAGE RO SYSTEM
R.O. Output: 50 G.P.D.
• Model # : A-105-3 (PUMP)



5-STAGE RO SYSTEM WITH PUMP
R.O. Output: 50 G.P.D.
HY-3032
• Model # : A-101-4 (4-Way Valve)
• Model # : A-101-6 (4-Way Valve) (EZ Fittings)

HY-3034
• Model # : A-102 (Solenoid Valve)



HY-3036
5-STAGE RO SYSTEM (WITH PUMP)
(AUTO FLUSH)
R.O. Output: 50 G.P.D.
• Model # : A-106-1



HY-5036
5-STAGE RO SYSTEM WITH PUMP
(AUTO FLUSH)(PUMP SIDE-HANG)
R.O. Output: 50 G.P.D.

- Model # : A-106



HY-5037
STAND TYPE 5-STAGE RO SYSTEM
WITH PUMP (STAND BRACKET)
R.O. Output: 50 G.P.D.

- Model # : A-113-1 (No IC Box)
- Model # : A-106-3 (Auto Flush)
- Model # : A-107 (Auto Flush and TDS)



HY-6035
STAND TYPE 5-STAGE IN-LINE RO
SYSTEM (STAND BRACKET)
R.O. Output: 50 G.P.D.

- Model # : A-105-10 (No IC Box)
- Model # : A-105-11 (Auto Flush)
- Model # : A-105-5 (Auto Flush and TDS)



HY-3035
STAND TYPE 5-STAGE RO SYSTEM
WITH PUMP (WATER PRESSURE GAUGE)
R.O. Output: 50 G.P.D.

- Model # : A-103-4



COMMERCIAL 5-STAGE
STAND TYPE RO SYSTEM
WITH PUMP (20")

HY-8400
R.O. Output: 400 G.P.D.
• Model # : A-117-4 (400G *1)

HY-8800
R.O. Output: 800 G.P.D.
• Model # : A-100-111 (400G *2)



HY-8150
COMMERCIAL 5-STAGE RO SYSTEM
WITH PUMP (20")
R.O. Output: 150 G.P.D.

- Model # : A-114 (Manual Flush)
- Model # : A-114-2 (Manual Flush)(Stand Bracket)
- Model # : A-114-1 (Auto Flush)
- Model # : A-114-3 (Auto Flush)(Stand Bracket)



DEMO KIT
4-STAGE R.O. SYSTEM
*** Pressure Gauge is Optional
*** T.D.S. is Optional
*** Electronic Color Tester is Optional
R.O. Output: 50 G.P.D.
• Model # : A-107-8 (220V)
• Model # : A-107-18 (110V)



Direct Flow R.O. System
5-STAGE R.O. SYSTEM WITH
PUMP(STAND BRACKET)
(PRESSURE GAUGE)
• Model # : A-100-100
R.O. Output: 360 G.P.D.
(180G * 2)
• Model # : A-100-110
R.O. Output: 800 G.P.D.
(400G *2)



Direct Flow R.O. System
5-STAGE R.O. SYSTEM WITH
PUMP (STAND BRACKET)
(PRESSURE GAUGE)
• Model # : A-100-108
R.O. Output: 180 G.P.D.
• Model # : A-100-103
R.O. Output: 400 G.P.D.



20" BIG FAT 3-STAGE WATER PURIFIER(1NPT)

A-190-2
(METAL BRACKET)

A-190-6
(STAINLESS STEEL BRACKET)

(PP, CTO and GAC available)



10" BIG FAT WATER PURIFIER (1NPT)

A-190-3
3-STAGE (METAL BRACKET)

A-190-1
2-STAGE (METAL BRACKET)

A-190-7
2-STAGE (STAINLESS STEEL BRACKET)

(PP, CTO and GAC available)



20" BIG FAT 2-STAGE WATER PURIFIER(1NPT)

A-190 (METAL BRACKET)

A-190-4 (METAL BRACKET)
(PRESSURE GAUGE*2)

A-190-5 (STAINLESS STEEL BRACKET)

(PP, CTO and GAC available)



3-STAGE WATER PURIFIER

A-122 10"
A-161 20"

(PP, CTO and GAC available)
In-Out Size: 3/8" & 1/4" & 1/2"
(OPTIONAL)



A-179-1

3-STAGE WATER PURIFIER
(EVER TAIWAN CAP*1/
HOUSING*2)

A-179-4

2-STAGE WATER PURIFIER
(EVER TAIWAN CAP*1/
HOUSING*1)



A-179-2

3-STAGE WATER PURIFIER
(EVER TAIWAN CAP*1/
HOUSING*2)

A-179-5

3-STAGE WATER PURIFIER
(EVER TAIWAN CAP*2/HOUSING*1)

A-179-3

2-STAGE WATER PURIFIER
(EVER TAIWAN CAP*1/
HOUSING*1)



A-124

3-STAGE TRIPLE THREAD
DISPOSABLE WATER PURIFIER

(PP, CTO and GAC available)



TWIST-IN DISPOSABLE WATER
PURIFIER (WITH WATER STOP VALVE)

A-124-5 3-STAGE

A-124-7 2-STAGE

(PP, CTO and GAC available)



A-122-6

3-STAGE WATER PURIFIER

A-121-3
2-STAGE WATER PURIFIER

A-121-1
1-STAGE WATER PURIFIER

(PP, CTO and GAC available)



A-122-7

3-STAGE IN-LINE WATER
PURIFIER (DISPOSABLE)
(PP, CTO and GAC available)



A-179

4-STAGE WINE PURIFIER



A-121-5

SINGLE WATER PURIFIER
(TWIST Cartridge)
(FAUCET Included)



A-124-9

SINGLE STAGE DISPOSABLE
WATER PURIFIER
(WITH WATER STOP VALVE)
(C-934-4 L FAUCET IS OPTIONAL)



A-124-8

2-STAGE STAGE DISPOSABLE
WATER PURIFIER
(WITH WATER STOP VALVE)
(C-934-4 L FAUCET IS OPTIONAL)



A-124-6

3-STAGE STAGE DISPOSABLE
WATER PURIFIER
(WITH WATER STOP VALVE)
(C-934-4 L FAUCET IS OPTIONAL)



B-312-7

HY-UF-1000 STAINLESS STEEL UF+KDF WATER FILTER (1,000L/H) 1/2"

B-312-8

HY-UF-1500 STAINLESS STEEL UF+KDF WATER FILTER (1,500L/H) 3/4"

B-312-2

HY-UF-2000 STAINLESS STEEL UF+KDF WATER FILTER (2,000L/H) 3/4"

B-312-9

HY-UF-2500 STAINLESS STEEL UF+KDF WATER FILTER (2,500L/H) 3/4"

※ ALL FILTER HOUSINGS IN THE FOLLOWING CONTAIN "PRESSURE RELIEF"



20" BIG FAT BLUE HOUSING
C-132-1 1" C-132-4 1.5"
C-132-6 1" (DOUBLE O-RING)
C-132-15 1" (COPPER THREAD)
C-132-10 1" (WHITE HOUSING)



20" BIG FAT CLEAR HOUSING
C-132-12 1" C-139 1.5"
C-132-8 1" (DOUBLE O-RING)
C-132-16 1" (COPPER THREAD)



10" BLUE BIG FAT HOUSING
C-132-2 1" C-132-5 1.5"
C-132-7 1" (DOUBLE O-RING)
C-132-13 1" (COPPER THREAD)
C-132-9 1" (WHITE HOUSING)



10" CLEAR BIG FAT HOUSING
C-132-11 1" C-139-1 1.5"
C-132-14 1" (COPPER THREAD)



20" WHITE HOUSING
C-131-2 3/8" C-129-2 1/2"
C-129-3 3/4"



20" CLEAR HOUSING
C-130-2 3/8" C-129-4 1/2"
C-133 3/4"



20" BLUE HOUSING
C-129 3/8" C-130 1/2"
C-131 3/4"



20" CLEAR HOUSING
C-130-3 3/8" C-130-1 1/2"
C-131-1 3/4"



10" KFC FAT CLEAR HOUSING
C-135 1/2" C-137 3/4"



10" KFC FAT BLUE HOUSING
C-134 1/2" C-136 3/4"
C-134-1 3/8"



10" YT CLEAR HOUSING
C-123-2 1/4"
C-138-5 1/2"
C-121-2 3/8"



10" YT WHITE HOUSING
C-124-2 1/4"
C-138-6 1/2"
C-121-4 3/8"



10" EG CLEAR HOUSING
C-141-3 1/4"
C-141-4 1/2"
C-141-2 3/8"



10" EG WHITE HOUSING
C-141-5 1/4"
C-141-8 1/2"
C-141-1 3/8"



10" EG CLEAR HOUSING (DOUBLE O-RING)
C-141-6 1/4"
C-141-9 1/2"



10" EG WHITE HOUSING (DOUBLE O-RING)
C-141-7 1/4"
C-141-13 1/2"



10" CLEAR HOUSING
C-121-5 1/4"
C-138-1 1/2"
C-121 3/8"
C-138-4 3/4"



10" BLUE HOUSING
C-121-6 1/4"
C-138 1/2"
C-122-2 3/8"



CANDLE TYPE HOUSING (SPIRAL TYPE AS 3/8")
C-128-9
CLEAR HOUSING
C-128-10
WHITE HOUSING



CANDLE TYPE HOUSING (INSERT TYPE)
C-128-11
CLEAR HOUSING
C-128-12
WHITE HOUSING



5" BLUE HOUSING
C-126-1 1/4"
C-125-4 1/2"
5" WHITE HOUSING
C-126-2 1/4"
C-126-3 1/2"



5" CLEAR HOUSING
C-125-1 1/4"
C-125-3 1/2"
C-125-2 1/4"
(WHITE CAP)
C-126-8 1/2"
(WHITE CAP)



5" WHITE HOUSING
C-126-4 1/4"
C-126-5 1/2"
5" CLEAR HOUSING
C-126-7 1/4"
C-126-6 1/2"

濾殼 Filter Housings



RO MEMBRANE
WHITE HOUSING
C-267 35-180GPD
C-267-8 400GPD



CONE HOUSING 1/4"
(W)70MM(L)320MM
B-302-17
CLEAR HOUSING
B-302-7
WHITE HOUSING



EMPTY SHELL (3/4")
A-189-13
(WASHING MACHINE FILTER)
(C-275-14 POLY PHOSPHATE
CRYSTAL IS OPTIONAL)



10" EMPTY SHELL
(YELLOW CAP)
B-302-13
CLEAR HOUSING
B-302-11
WHITE HOUSING



10" EMPTY SHELL
(BLUE CAP)
B-302-12
CLEAR HOUSING
B-302-6
WHITE HOUSING



10" EMPTY SHELL
(GREEN CAP)
B-302-14
CLEAR HOUSING
B-302-15
WHITE HOUSING



THE FILLING EMPTY SHELL(1/4")
(W)70MM(L)300MM
C-308-8 CLEAR SHELL
C-308-9 WHITE SHELL



THE FILLING EMPTY SHELL(1/4")
(W)50MM(L)270MM
B-302-3 CLEAR SHELL
C-302-6 YELLOW SHELL
B-302-2 WHITE SHELL
B-302-9 GREEN SHELL
B-302-20 5" SHELL (EZ)
B-302-21 5" SHELL

沐浴過濾器 Shower Filters



A-181
HANDY SHOWER SPRAY
(CASO3 & FAR INFRARED ENERGY)



A-181-1
THE REPLACEMENT OF
HANDY SHOWER SPRAY
(CASO3 & FAR INFRARED ENERGY)



A-181-5
EASY INSTALLATION 4 IN 1
SHOWER FILTER (FAMILY MEMBER 3-5)



A-189-3
SHOWER FILTER SET
(KDF+CARBON+CASO3)



A-189-4
THE REPLACEMENT OF
SHOWER FILTER SET

[BACTERIA FREE]



A-121-6
SINGLE STAGE UF
WATER PURIFIER



A-122-9
1 STAGE CERAMIC
WATER PURIFIER



C-152
6080 FAIRY WATER PUMP
(1.2LPM/125PSI)



C-152-6
6088 AQUA-WIN PUMP
(1.2LPM/125PSI)



C-155-1
HIGH FLOW PUMP
110VAC



C-154
8005 HIGH FLOW PUMP
(150PSI)36VDC/48VDC



C-154-3
TWIN BOOSTER PUMP
(50LPM)(48VDC)(150PSI)



PUMP TRANSFORMER
C-159 (36VDC/110V)
C-159-1 (36VDC/220V)
C-156 (24VDC/110V)
C-157-2 (24VDC/220V)
C-160 (48VDC/110V/1.8A)
C-160-1 (48VDC/220V/1.8A)



THE CAP OF EVER
FILTER (BLACK)
(MADE IN TAIWAN)
A-519-2
(STEEL RING)
A-519-7
(PLASTIC RING)



THE CAP OF
EVERPURE FILTER
(SILVER)
(MADE IN TAIWAN)
A-519-11 (RING)
A-519-12 (NO RING)



C-173
THE CAP OF 6088
& 6080
PUMP (1041X)



C-286
TRIANGLE DIAPHRAGM
(FOR 6088 & 6080 PUMP)



C-214
LOW PRESSURE
SWITCHES (1/4"NPT)



C-214-1
EZ LOW PRESSURE
SWITCHES(1/4"NPT)



C-212-2
HIGH PRESSURE
SWITCHES (1/4"NPT)



C-212-3
EZ HIGH PRESSURE
SWITCHES (1/4"NPT)



SOLENOID VALVE 1/4"
C-216-7 (110V)
C-216-9 (220V)
C-216-10 (DC24V)
C-216-13 (110V) (EZ)
C-216-14 (DC24V) (EZ)



SOLENOID VALVE /
AC 1/4"
C-216 (110V)
C-216-1 (220V)
C-216-3 (DC24V)



SOLENOID VALVE / AC
C-217 (110V) 3/8"
C-217-1 (220V) 3/8"
C-218-4 (110V) 1/2"
C-219 (110V) 3/4"
C-220-2 (110V) 1"NPT



C-265-3
AUTOMATIC SHUT-OFF
VALVES (1/4"NPT)



C-265-2
EZ AUTO SHUT-OFF
VALVES (1/4"NPT)



PAE EG TANK
BALL VALVE
C-226-1 (1/4")
C-226-2 (3/8")



C-225
PVC FLUSH VALVE
(1/4" NPT)



C-285-3
DRAIN CLAMP 1/4"
(EZ)



C-285-2
DRAIN CLAMP
(1/4")



C-275-15
PORTABLE PH TESTER
(WATERPROOF)



C-275
PORTABLE TDS-3 TESTER
(MADE BY HM DIGITAL)



C-294
PORTABLE TANK
PRESSURE TESTER



IC CONTROLLER
(NO LED) (AUTO FLUSH)
C-237 (110V)
C-237-1 (220V)



TDS DISPLAY IC
CONTROLLER
(AUTO FLUSH)
C-239-2 (110V)
C-239-4 (220V)



ELECTRONIC COLOR
TESTER (110V/220V)
C-278 (2 FLAT PINS)
C-278-3 (2 ROUND PINS)



C-264-1
WATER CUT-OFF
AND FLOW RATE
ADJUSTOR (3/8")



C-291-9
CUT-DOWN
PRESSURE
VALVE (PLASTIC)
1/4"NPT



CUT-DOWN PRESSURE
VALVE (COPPER)
(1/4") **C-291-4**
(1/2") **C-291-10**



C-291-14
CUT-DOWN
PRESSURE
VALVE
(PLASTIC)
1/4"NPT



HOUSING SPANNER
WRENCHES (O TYPE)
C-272 (For 10")
C-274-2
(For 10" & 20" BIG FAT)
C-272-2
(For 400G RO HOUSING)
C-128-21 (FOR HY-8035)



HOUSING SPANNER
WRENCHES (O TYPE)
C-274-1 (For 20")
C-273-1 (For 10")
(MEDIUM HOUSING)
C-274-3 (FOR 10" &
20" BIG FAT)



C-272-1
HOUSING SPANNER
WRENCHES



SINGLE CLAMP
C-231 (SMALL 2")
C-233 (BIG 2.5")
C-233-2 (For 400G
MEMBRANE HOUSING)
C-235
(FOR FLOW RESTRICTOR)



DOUBLE CLAMP
C-232 (2"/2.5")
C-233-1 (2.5"/2.5")
C-234 (2"/2")
C-233-3 (For 400G
MEMBRANE HOUSING+
POST CARBON)



C-171
THE CAP OF C-169-1
1/2 HP PUMP
(PROCOM HEAD)
CO1504X"



C-172
THE HEAD OF C-170 1 HP
PUMP (PROCOM CAP)
2507X"



BOOSTER PUMP
(INNER REVOLUTION)
C-169-1
(1/2HP) (110V/220V/60HZ)
C-170
(1HP) (1-WAY CIRCUIT)
(110V/220V/60HZ)
C-170-4
(3HP) (3-WAY CIRCUIT)



RAW WATER PRESSURIZED
PUMP
C-174 (1/2HP)
C-174-1 (1/4HP)



WATER PRESSURE GAUGE
C-304-6
1.5"(10KG) (1/8") (EZ)
C-304-7
2.5"(10KG) (1/4")
(For FEED WATER)
C-304-11
2.5"(15KG) (1/4")
(For OPERATING)



WATER PRESSURE GAUGE (1/4")
C-304 (10KG) (150PSI)
C-304-1 (20KG) (300PSI)



C-304-12
WATER PRESSURE GAUGE
(10KG/150PSI*1/8"PT)



C-304-2
WATER PRESSURE GAUGE (10KG/PSI)
(1/8"NPT)



DIGI-FLOW WATER CAPACITY & TIMING SETTING
C-263-4 (3/8")
C-263-6 (3/4")
C-263-7 (1/4")



FLOW METER
C-262 2GPM (10LPM)
C-263 5GPM (20LPM)
C-264 10GPM (40LPM)
C-263-1 16GPM (64LPM)
C-263-2 20GPM (80LPM)



C-229
BRASS BALL VALVE
1/4" NPT



C-230
BRASS BALL VALVE
3/8" NPT



C-229-1
BRASS BALL VALVE 1/4" NPT (1/2"1/4)
C-230-1
BRASS BALL VALVE 3/8" NPT (1/2"3/8)



C-901-3
UNIVERSAL FAUCET ADAPTOR 2.24*22MM



RUBBER FAUCET ADAPTOR
C-901-1 (WHITE)
C-901-9 (BLACK)



C-938
FAUCET ADAPTER
1/2"



C-289-2
SHOWER ADAPTER
(1/2" FEMALE THREAD)
(45° ANGLE)



C-933-1
L TYPE COPPER CONNECTER
(1/4" NPT)
(3/8" STEM)



C-933-3
L TYPE COPPER CONNECTER 1/4"



C-228
FAUCET ADAPTER
(1/4"; 3/4")



FAUCET ADAPTER
C-227 (1/4", 1/2") (62MM)
C-227-4 (1/4", 3/8") (38MM)
C-227-3 (1/4", 3/8") (62MM)



STAINLESS STEEL MIXER VALVE 1/4"
C-283-3 (EZ)
C-283-2 (JACO)



C-283-6
ROUND CAP STAINLESS STEEL MIXER VALVE 1/4"



C-283-5
INLET CROSS ADAPTER (1/4")



C-230-4
CONTROL VALVE 1/4"



SINGLE WAY SWITCH
C-930-9 (1/4")
C-930-2 (3/8")



DOUBLE WAY SWITCH
C-930-1 (3/8")
C-930-8 (1/4")



C-930-7
DOUBLE-WAY SWITCH + CAP (1/4")
C-930-6
SINGLE WAY SWITCH + CAP (1/4")



A-158-4
5-WAY VALVE
A-158-6
MANUAL 3-WAY VALVE
(BORE: 2.5") (IN/OUT: 1")
(1 IN 2 OUT)



2-WAY VALVE
C-289 (BORE: 2.5")
(IN-OUT 1")
C-289-6 (BORE: 4")
(IN-OUT 1.5")



FLOW RESTRICTOR (1/4") (@60 PSI)
C-222 (300)
C-221 (400)
C-224-2 (500)
C-224-3 (600)



FLOW RESTRICTOR (1/4") (@60 PSI) OUTER THREAD
C-222-1 (300)
C-221-1 (400)
C-224-9 (500)
C-224-10 (600)



EZ FLOW RESTRICTOR (1/4")
C-222-10 (300)
C-222-5 (350)
C-221-5 (400)
C-224-6 (500)
C-222-11 (550)
C-224-5 (600)



PVC FLUSH VALVE & FLOW RESTRICTOR
C-225-7 (250)
C-225-9 (300)
C-225-6 (400)
C-225-10 (500)
C-225-8 (600)
C-225-11 (700)



C-226-17
PRESSURIZED FLUSH VALVE + FLOW RESTRICTOR (1/4")
(NUT INCLUDED)

PLASTIC TUBE 300M

- C-244 WHITE (1/4")
- C-245 BLUE (1/4")
- C-244-3 BLACK (1/4")
- C-244-4 RED (1/4")
- C-244-5 YELLOW (1/4")
- C-244-7 GREEN (1/4")
- C-244-8 ORANGE (1/4")

150M

- C-246 WHITE (3/8")
- C-247 BLUE (3/8")
- C-247-4 ORANGE (3/8")

75M

- C-244-B BLUE (1/2")



C-936
TUBBING CUTTER



C-230-2
NEEDLE VALVE
1/4" (2 BARS)



C-230-3
NEEDLE VALVE 1/4"



B-103-2 5" PP (5U)
B-103-8 10" PP (5U)
B-103-13 10" PP (5U)NSF
B-119-8 20" PP (5U)
B-119-12 20" PP (5U)NSF
B-127 30" PP (5U)
B-129 40" PP (5U)



B-103-3 5" PP (1U)
B-104-1 10" PP (1U)
B-101-5 10" PP (1U)NSF
B-119-9 20" PP (1U)
B-119-13 20" PP (1U)NSF
B-128 30" PP (1U)
B-130 40" PP (1U)



PP FURROW
B-125-6 10"(5U)
B-125-7 10"(1U)
B-119-10 20"(5U)
B-119-11 20"(1U)

PP LINE
B-125-2 10"(5U)
B-125-5 10"(1U)
B-174-7 20"(5U)
B-127-1 20"(1U)



PLEATED DEPTH FILTER
B-105-1 10"
B-105-15 20"



WOUND FILTER
B-116 10"
B-116-1 20"



PURTREX PP FILTER (MADE in USA)
B-101-2 10" PX-5M
B-101-3 10" PX-1M
B-123 20" PX-5M
B-124 20" PX-1M



B-220-1 10" DOUBLE-DECKED PP & CARBON FILTER (RAISED END SIDE)



B-219 10" DOUBLE-DECKED PP & CARBON FILTER (FLAT 2 SIDE)



ABSOLUTE FILTER (0.45M)
B-105-10 10"
B-105-8 20"



UDF GRAIN CARBON FILTER
B-203-2 10"
B-223 20"



B-204-1 10" GAC GRAIN CARBON FILTER



B-204 10" T33/934 GRAIN CARBON FILTER



T33 GRAIN CARBON FILTER
B-204-2 10"
B-222-1 20"



B-205 10" OMNIPURE OCB934/T33 GRAIN FILTER (MADE in USA)



B-202 10" T33/OCB GRAIN CARBON FILTER



B-601-7 10" BAMBOO CARBON FILTER



KKS BLOCK CARBON FILTER
B-201-3 10"
B-224-20 20"



KA BLOCK CARBON FILTER
B-208-6 5"
B-210-5 10"
B-224-14 20"



B-210 10" KA BLOCK CARBON FILTER (NSF)



MATRIKX CTO/2 CARBON (MADE in USA)
B-210-1 10"

L:285MM D:60MM



K33 DISPOSABLE CARBON FILTER
B-217-2
B-218-7 (EZ)



K33 DISPOSABLE PRE-FILTER (TRANSLUCENT)
B-218-3
B-218-2 (EZ)



K33 DISPOSABLE RESIN FILTER
B-217-1
B-218-8 (EZ)
B-215-7 DEIONIZATION (DI) (Water 0 PPM)



K33 DISPOSABLE PRE-FILTER (WHITE)
B-218-1
B-218-6 (EZ)



B-314-3 10" TWIST GRAIN CARBON FILTER (1/4"NPT)



B-314-4 10" TWIST BLOCK CARBON FILTER (1/4"NPT) NET COVERED



B-301-2 10" TRANSPARENT RESIN FILTER RSN (RECYCLABLE)
B-301-4 (DI) (Water 0 PPM)



B-301-1 10" RESIN FILTER RSN (WHITE SHELL) (RECYCLABLE)
B-303-5 (DI) (Water 0 PPM)



B-301-3 SOLVENT-FREE RESIN FILTER (RECYCLED)
 Water Hardness Improved & Heavy Metal Removed



B-314-18 10" TWIST BLOCK CARBON FILTER (1/4"NPT)



B-314-2 10" TWIST SEDIMENT PP FILTER (1/4"NPT)



10" INSERT BLOCK CARBON FILTER
B-314-28 NET COVERED
B-314-29 NON-NET COVERED



B-314-26 10" INSERT SEDIMENT PP FILTER



B-314-27 10" INSERT GRAIN CARBON FILTER



B-314-15 10" TWIST BLOCK CARBON FILTER (3/8"NPT)



B-314-16 10" TWIST GRAIN CARBON FILTER (3/8"NPT)



B-314-14 10" TWIST SEDIMENT PP FILTER (3/8"NPT)



Filter replacement without shutting off water switch



C-143-12

TWIST-IN DISPOSABLE FILTER

- B-217-12** PP(TRANSLUCENT)
- B-217-13** PP
- B-217-14** GAC/UDF GRAIN CARBON
- B-217-15** BLOCK CARBON
- B-217-16** RESIN
- C-143-12** THE CAP

- B-217-18** UF
- B-217-21** UF (TRANSLUCENT)
- B-217-19** RO MEMBRANE
- B-217-20** DI(WATER 0 PPM)
- B-217-22** PH



- IN-LINE CL-10 POST CARBON FILTER(1/4"NPT)
B-214
B-215-1 (NSF)
B-215-5 (EZ)
B-213-4 (EZ) (NSF)
B-213-6 (BLOCK)
B-213-7 (BLOCK) (NSF)
- B-601-6** BAMBOO POST CARBON FILTER (1/4"NPT)
- B-216** OMNIPURE CL-10 / ROT33 CARBON FILTER (1/4"NPT) (Made in USA)
- B-215** IN-LINE CL-10 T33 CARBON(1/4"NPT) (L:264MM)
- IN-LINE PF-5 PPFILTER (1/4"NPT) (L:254MM)
B-126 SHELL WHITE
B-126-1 TRANSLUCENT SHELL
- 6" IN-LINE FILTER (15CM)
B-226 PP
B-226-1 CARBON



- B-317-19** IN-LINE UF MEMBRANE (L: 255MM /φ: 50MM)
- UF MEMBRANE (UDF TYPE)
B-317-18 10"
B-317-21 20"
- [WASHABLE]
- B-302-7**
- B-314-17**
- B-314-17** EXPOSED UF MEMBRANE (1/4"NPT) (L: 254MM/φ: 48MM)
B-302-7 THE WHITE HOUSING of B-314-17


Main performance indices

- Membrane material : Polypropylene (PP)
- Porosity : 40~50%
- Membrane bore diameter : 0.01~0.1 μm
- Operation temperature : 4~40°C
- PH : 0~14


Comparison of Filtration Square Measure

- 0.02-0.4 microns
- 0.01-0.1 microns
- 0.0001 microns

- Ceramic Filter
- UF Membrane
- RO Membrane



Nano Silver Filter



- NANO-SILVER BLOCK CARBON FILTER (ANTI-BACTERIA)**
B-210-7 10"
B-210-8 20"
- BIG FAT NANO-SILVER BLOCK CARBON FILTER (ANTI-BACTERIA)**
B-224-18 10"
B-224-19 20"
- B-215-9** IN LINE CL-10 NANO-SILVER CARBON FILTER
- B-314-13** 10" NANO-SILVER ACTIVATED CARBON FILTER(1/4") (SCREW-IN)

- BIG FAT PLEATED DEPTH FILTER**
B-105-5 10"
B-105-2 20"
- BIG FAT PP FILTER(5U)**
B-117-3 10"
B-117-1 20"
- KA BIG FAT BLOCK CARBON FILTER**
B-224-16 10"
B-224-17 20"
- BIG FAT T33 GRAIN CARBON FILTER**
B-224-15 10"
B-224-11 20"
- BIG FAT RESIN FILTER(RSN)**
B-303-3 10"
B-303-2 20"
- B-304-5** 20" RESIN FILTER(MJ)
- KKS BIG FAT BLOCK CARBON FILTER**
B-209-3 10"
B-224-5 20"

- RO-NF MEMBRANE 60~80%**
B-401-4 ALR50G
B-401-7 ALR140G
B-401-8 ALR240G
- FILMTEC RO MEMBRANE (MADE in USA)**
B-403 50G
B-405 75G
B-405-1 100G
- AQUA-WIN RO MEMBRANE**
B-401-17 400G
- RO MEMBRANE (NSF MATERIAL)**
B-401-3 AQUA-SAFE 50G (TW30-1810-50) (SHORT)
B-405-7 KING-PRO 50G
B-401-9 AQUA-WIN 80G
B-401-10 AQUA-WIN 100G
B-405-12 AQUA-WIN 180G
- AQUA-WIN RO MEMBRANE (Made in Taiwan)**
B-407-2 2521"(250G)
B-408-3 4021"(800G)
B-411-7 4040"(1500G)
- B-405-10** KING-PRO 50G RO MEMBRANE (NANO-SILVER)

- EVERPURE CARTRIDGE (MADE in USA)**
B-322 MC(2)
B-311-6 MH(2)
B-310-2 I2000(2)
B-311-2 I4000/I4000(2)
- EVERPURE CARTRIDGE (MADE in USA)**
B-309 S-100
B-311-1 H-100
B-309-3 S-104
B-309-4 H-104
B-309-2 4C
B-310-4 BH(2)
- EVERPURE CARTRIDGE (MADE in USA)**
B-309-5 S-54
B-309-7 H-54

- CERAMIC FILTER**
B-314-12 10" (MADE BY DOULTON)
B-131 10" (MADE IN TAIWAN)
B-131-1 20" (MADE IN TAIWAN)
- 10" CERAMIC FILTER**
B-314-1 (MADE IN TAIWAN)
B-314 (MADE BY DOULTON)
- 2.5" TRIPLE THREAD DISPOSABLE FILTER (FOR HY-8088)**
B-314-31 PP
B-314-32 GAC
B-314-33 CTO
B-314-34 RESIN
B-314-35 UF MEMBRANE
B-314-36 DI (WATER 0 PPM)
C-128-28 THE CAP

濾材 Cartridge Filters



B-215-6
IN-LINE POST DEIONIZATION (DI) FILTER(1/4" NPT) (WATER 0 PPM)



B-304
20" DEIONIZATION (DI) FILTERS (WATER 0 PPM)



B-303-6
20" BIG FAT DEIONIZATION (DI) FILTERS (WATER 0 PPM)



B-501
IN-LINE MINERAL STONE FILTER (TRANSPARENT) (1/4"NPT)



B-502
IN-LINE MINERAL STONE FILTER (1/4"NPT)



B-503-1
IN-LINE 4 IN 1 FILTER (1/4"NPT)



B-213-3
IN-LINE INFRA-RED FILTER(1/4" NPT) (GREEN HOUSING)



B-505
IN-LINE INFRA-RED FILTER (4 TUBES INSIDE) (1/4" NPT) (TRANSPARENT)



B-503-2
IN-LINE INFRA-RED FILTER (4 TUBES INSIDE) (1/4" NPT)



OMNIPURE E-Series FILTER (MADE in USA)
B-309-6 E5515-P
Removed:
Cysts
Lead
Scale
Taste
Odor
Chlorine



B-601-8
ALKALINE PH POST FILTER(1/4" NPT) (PH 8.00~9.50)




B-101
ELIMINATION LIMESCALE FILTER(1/4" NPT)



B-507-7
ORP ALKALINE FILTER (T808)(1/4" NPT) (-150MV ~ -250MV)

Change the water PH value into 8.5-9.0 and water from a positive potential to negative potential (approximately-150~-250 mV)



出水口 Faucets



C-901-4
FAUCET EXTENDER 3" (WITH NUTS)
C-240-7
FAUCET SCREWDRIIVER (H: 375MM)



C-240
GOOSE FAUCET (BLACK PRESS BUTTON) 1/4"NPT



C-240-6
GOOSE FAUCET (WHITE PRESS BUTTON) 1/4"NPT



CERAMIC FAUCET (GOLDEN HEAD 1/4"NPT)
C-241
3 GOLDEN POINTS
C-241-17
2 GOLDEN POINTS



CERAMIC FAUCET (SILVER HEAD) 1/4"NPT
C-241-7
3 GOLDEN POINTS



C-241-5
SINGLE-HANDLE VASE FAUCET(1/4"PT)



C-241-13
AMERICAN STYLE FAUCET(1/4"NPT)(M)



C-241-9
AMERICAN STYLE FAUCET(BIG)(1/4"PT)



C-241-10
AMERICAN STYLE DOUBLE CONTROL FAUCET (COLD/HOT)



C-241-14
SINGLE-HANDLE VASE FAUCET(1/4"NPT)



C-241-15
AMERICAN STYLE FAUCET(BIG)(1/4"NPT)



C-241-16
EGG HANDLE STYLE FAUCET(1/4"NPT)



C-241-6
MINI AMERICAN STYLE FAUCET 1/4"NPT



C-241-4
MINI AMERICAN STYLE BEND FAUCET 1/4"NPT



C-934
N TYPE FAUCET



C-934-4
L TYPE FAUCET INCLUDING CONNECTOR 1/4"



The picture is only for reference, please make the object as the standard.

PRESSURIZED WATER BUTTON FOR WATER DISPENSER (COLD/WARM/HOT)

C-248: FOR D-406 Dispenser
C-248-1: FOR 389 / ST188 Dispenser
C-248-3: FOR 3013 Dispenser



C-242-13
ACID WATER FAUCET (3/8"NPT)



C-311
STRAIGHT FOUNTAIN FOR A-173-5 & A-173-7 & A-173-8



C-243-2



C-243-3

3-IN-1 FAUCET
C-243-2 SWAN TYPE(3/8" NPT)
C-243-3 PENGUIN TYPE(3/8" NPT)

鐵架、鐵片 Brackets



3 STAGE BIG FAT
STAND BRACKET
C-208-6 (10")
C-208-5 (20")



C-208-2
2 STAGE BIG FAT
STAND BRACKET (20")



C-208-4
2 STAGE BIG FAT
STAND BRACKET (10")



C-201-9
3 STAGE EVER
STAND BRACKET(10")



C-201-10
2 STAGE EVER
STAND BRACKET(10")



C-203
20" RO STAND
BRACKET



C-201-3
10" RO STAND
BRACKET(FULL BACK)



C-201-1
10" RO STAND
BRACKET (FULL BACK)



C-201-13
10" RO STAND
BRACKET
(WITH WATER
PRESSURE
GAUGE HOLE)



C-201-11
10" RO STAND BRACKET
(NO WATER PRESSURE
GAUGE)



C-205
10" EVER BRACKET
C-206 (3 STAGE)
C-205 (2 STAGE)



C-204
SI DE BRACKET
FOR PUMP



C-205-2
C-207
C-207-1
2 STAGE BRACKET
C-205-2 (10")
C-207 (20")
C-207-1 (20") (BIG FAT)



C-210
C-210-1
SINGAL STAGE
WALL-MOUNTED BRACKET
C-210 (FOR 10" & 20" HOUSING)
C-210-1 (FOR 10" & 20" BIG FAT HOUSING)



C-206-1
RO BRACKET
C-201 (10")
C-206-1 (□ TYPE)



C-206-2
C-208 C-208-1
3 STAGE BRACKET
C-206-2 (10")
C-208 (20")
C-208-1 (20")(BIG FAT)



C-209-4
C-209-2 C-209-1
C-209-4
FAUCET WALL-MOUNTED
RING

FAUCET WALL-MOUNTED
RING 3/8" & 1/4"
C-209-1 (METAL)
C-209-2 (PLASTIC)

傳統接頭 Jaco Fittings



Male Connector			
MODEL No.	Description	Tube	Thread
C-904	10-4-2 Male connector	1/4"	1/8"
C-903	10-4-4 Male connector	1/4"	1/4"
C-906	10-4-6 Male connector	1/4"	3/8"
C-911	10-4-8 Male connector	1/4"	1/2"
C-907	10-6-4 Male connector	3/8"	1/4"
C-908	10-6-6 Male connector	3/8"	3/8"
C-912	10-6-8 Male connector	3/8"	1/2"



Male Elbow			
MODEL No.	Description	Tube	Thread
C-914	40-4-2 Male elbow	1/4"	1/8"
C-914-1	40-6-8 Male elbow	3/8"	1/2"
C-913	40-4-4 Male elbow	1/4"	1/4"
C-913-1	40-4-4 Q Male elbow (Including O-ring)	1/4"	1/4"
C-916	40-4-6 Male elbow	1/4"	3/8"
C-917	40-6-4 Male elbow	3/8"	1/4"
C-918	40-6-6 Male elbow	3/8"	3/8"



Unior Connector			
MODEL No.	Description	Tube	Thread
C-905	15-4-4 Unior connector	1/4"	1/4"
C-909	15-6-4 Unior connector	1/4"	3/8"
C-910	15-6-6 Unior connector	1/4"	3/8"
C-910-6	15-6-8 Unior connector	3/8"	1/2"
C-910-7	15-8-8 Unior connector	1/2"	1/2"



Male Elbow			
MODEL No.	Description	Tube	Thread
C-913-3	50-4-4 Male elbow	1/4"	1/4"
C-913-7	50-6-6 Male elbow	3/8"	3/8"
C-913-8	50-8-8 Male elbow	1/2"	1/2"



Male Connector			
MODEL No.	Description	Tube	Thread
C-915-2	25-4-2 Male connector	1/4"	1/8"
C-915-3	25-4-4 Male connector	1/4"	1/4"



Male Run Tee			
MODEL No.	Description	Tube	Thread
C-919	75-4-4 Male run tee	1/4"	1/4"
C-922-2	75-6-4 Male run tee	3/8"	1/4"
C-922	75-6-6 Male run tee	3/8"	3/8"
C-922-1	76-4-4 Male run tee	3/8" & 1/4"	1/4"



Male Branch Tee			
MODEL No.	Description	Tube	Thread
C-920-2	60-4-2 Male branch tee	1/4"	1/8"
C-921	60-4-4 Male branch tee	1/4"	1/4"
C-925	60-6-4 Male branch tee	3/8"	1/4"
C-924	60-6-6 Male branch tee	3/8"	3/8"
C-924-1	60-8-6 Male branch tee	1/2"	3/8"
C-924-2	60-8-8 Male branch tee	1/2"	1/2"



Central Connector		
MODEL No.	Description	Tube
C-926	CC-2W PP central connector	1/4"
C-926-1	CC-2W PP central connector (Including O-ring)	1/4"
C-927	CC-3W PP central connector	3/8"
C-928	CC-4W PP central connector	1/2"
C-928-1	CC-4W PP central connector (Including O-ring)	1/2"
C-929	CC-4W PP central connector	3/4"
C-929-1	CC-1 PP central connector	1"



Female Elbow			
MODEL No.	Description	Tube	Thread
C-915	45-4-2 Female elbow	1/4"	1/8"
C-915-1	45-4-4 Female elbow	1/4"	1/4"



Union Tee		
MODEL No.	Description	Tube
C-920	70-4-4 Union tee	1/4"
C-923	70-6-6 Union tee	3/8"
C-920-5	70-8-8 Union tee	1/2"



Tubing Inserts		
MODEL No.	Description	Tube
C-939	PI-01 Tubing Inserts	1/4"
C-939-4	PI-02 Tubing Inserts	3/8"



Drainage Adapter		
MODEL No.	Description	Tube
C-285	Drainage Adapter	1/2"

Male Connector

MODEL No.	PART No.	Tube O.D	NPTF Thread
C-904-8	MC0402	1/4"	1/8"
C-604-7	MC0404	1/4"	1/4"
C-904-12	MC0406	1/4"	3/8"
C-904-14	MC0604	3/8"	1/4"
C-904-15	MC0606	3/8"	3/8"
C-904-16	MC0608	3/8"	1/2"



Union Connector

MODEL No.	PART No.	Tube O.D	Tube O.D
C-921-12	UC0404	1/4"	1/4"
C-921-15	UC0604	3/8"	1/4"
C-910-1	UC0606	3/8"	3/8"



Faucet Connector

MODEL No.	PART No.	Tube O.D	UNF Thread
C-921-5	FA04-716	1/4"	7/16"
C-915-8	FA06-716	3/8"	7/16"
C-915-9	FA0404	1/4"	1/4"



Male Run Tee

MODEL No.	PART No.	Tube 1	NPTF Thread	Tube 3
C-921-14	MRT0404	1/4"	1/4"	1/4"
C-923-9	MRT0604	3/8"	1/4"	1/4"



Stem Adapter

MODEL No.	PART No.	Stem O.D	NPTF Thread
C-921-6	SA0404	1/4"	1/4"
C-921-19	SA0604	3/8"	1/4"
C-921-20	SA0606	3/8"	3/8"



Main Stem Tee / Stem Branch Tee

MODEL No.	PART No.	Tube O.D	Tube O.D	Stem O.D
C-921-4	SBT0404	1/4"	1/4"	1/4"



Stem To House Elbow

MODEL No.	PART No.	Stem O.D	Stem O.D
C-904-4	4SHE4	1/4"	1/4"
C-904-5	6SHE4	1/4"	3/8"



Male Elbow

MODEL No.	PART No.	Tube O.D	NPTF Thread
C-904-7	ME0402	1/4"	1/8"
C-913-4	ME0404	1/4"	1/4"
C-904-10	ME0406	1/4"	3/8"
C-904-17	ME0604	3/8"	1/4"
C-918-2	ME0606	3/8"	3/8"
C-904-18	ME0608	3/8"	1/2"



Union Elbow

MODEL No.	PART No.	Tube O.D	Tube O.D
C-921-11	UE0404	1/4"	1/4"
C-909-2	UE0604	3/8"	1/4"
C-910-3	UE0606	3/8"	3/8"



Male Branch Tee

MODEL No.	PART No.	Tube1	Tube2	NPTF Thread3
C-921-7	MBT0404	1/4"	1/4"	1/4"
C-918-3	MBT0606	3/8"	3/8"	3/8"



Union Tee

MODEL No.	PART No.	Tube O.D	Tube O.D	Tube O.D
C-921-9	UT0404	1/4"	1/4"	1/4"
C-904-19	UT0406	3/8"	1/4"	3/8"
C-923-8	UT0604	1/4"	3/8"	1/4"
C-923-7	UT0606	3/8"	3/8"	3/8"



Stem Elbow

MODEL No.	PART No.	Tube O.D	Stem O.D
C-921-13	SE0404	1/4"	1/4"
C-921-16	SE0406	1/4"	3/8"
C-910-4	SE0606	3/8"	3/8"



Side Stem Tee / Stem Run Tee

MODEL No.	PART No.	Tube O.D	Tube O.D	Stem O.D
C-921-8	SRT0404	1/4"	1/4"	1/4"
C-921-18	SRT0606	3/8"	3/8"	3/8"



Bulkhead Union

MODEL No.	PART No.	Tube O.D	Tube O.D
C-912-6	BU0404	1/4"	1/4"
C-921-17	BU0406	1/4"	3/8"
C-912-5	BU0606	3/8"	3/8"



Two Way Divider

MODEL No.	PART No.	Tube in	Tube out	Tube out
C-920-3	TWD0404	1/4"	1/4"	1/4"
C-920-4	TWD0606	3/8"	3/8"	3/8"



Stem Reducer

MODEL No.	PART No.	Stem Thread	Tube O.D
C-923-10	SR0406	3/8"	1/4"
C-923-11	SR0604	1/4"	3/8"



Twin Connector

MODEL No.	PART No.	Tube O.D	Tube O.D
C-941	4DC4	1/4"	1/4"



Locking Clip

MODEL No.	PART No.	Tube O.D
C-901-6	LC0004	1/4"
C-901-7	LC0006	3/8"



Fitting Insert / Plug

MODEL No.	PART No.	Description
C-939-5	PI-02-2	1/4"



Flow Restrictor

MODEL No.	The name of product	Description
C-222-8	FR-2225-Q-EZ	250 ML 1/4 OD
C-222-9	FR-2220-Q-EZ	200 ML 1/4 OD
C-222-10	FR-5030-Q-EZ	300 ML 1/4 OD
C-222-7	FR-5042-Q-EZ	420 ML 1/4 OD
C-222-11	FR-5055-Q-EZ	550 ML 1/4 OD
C-222-12	FR-2280-Q-EZ	800 ML 1/4 OD



Ball Valve / EZ Fittings

MODEL No.	PART No.	Tube In	Tube Out
C-226-10	CV-1344	1/4"	1/4"
C-226-15	CV-1364	3/8"	1/4"
C-226-16	CV-1366	3/8"	3/8"



CR-Cross

MODEL No.	PART No.	Tube O.D
C-940	4CR4	1/4"
C-940-1	6CR6	3/8"



CR-Cross

MODEL No.	PART No.	O.D	Tube O.D	Tube O.D
C-291-7	CV-3344-EZ	1/4"	1/4"	1/4"
C-291-13	CV-6644-EZ	3/8"	3/8"	3/8"



Check Valve / CV-3242-EZ

MODEL No.	PART No.	NPTF Thread	Tube O.D
C-291-12	CV-3242-EZ	1/8"	1/4"



Check Valve / CV-3142-EZ

MODEL No.	PART No.	NPTF Thread	Tube O.D
C-291-8	CV-3042-EZ	1/8"	1/4"



Ball Valve / EZ Fittings

MODEL No.	PART No.	UNF Thread	Tube O.D
C-226-11	CV-1144 with O-ring	1/4"	1/4"
	Ball Valve 1/4" W / EZ Fittings		
C-226-14	CV-1164 with O-ring	1/4"	3/8"
	Ball Valve 3/8" W / EZ Fittings		



EZ Ball VALVE CV1466-Q

MODEL No.	NPTF Thread	Tube O.D
C-226-13	3/8"	3/8"



EZ Ball VALVE CV1444-Q

MODEL No.	NPTF Thread	Tube O.D
C-226-12	1/4"	1/4"

紫外線殺菌燈 UVC Lightings



Model : **1G** ULTRAVIOLET WATER STERILIZER

1G UV

Specification Model No.	Flow rate (per minute)		Dimension
	Clean water	DI, R.O. Water	
A-140-4 (110V) A-140-2 (220V)	0.5Gpm / 2Lpm	1Gpm/4Lpm	50.5 x 260mm
Inlet/Outlet size	Max. Working pressure	Chamber/ housing	
1/4inch NPT	125PSI	304 stainless steel	



Model : **2G** ULTRAVIOLET WATER STERILIZER

2G UV

Specification Model No.	Flow rate (per minute)		Dimension
	Clean water	DI, R.O. Water	
A-140 (110V) A-140-6 (220V)	1.5Gpm / 6Lpm	2Gpm /8Lpm	64 x 340mm
Inlet/Outlet size	Max. Working pressure	Chamber/ housing	
1/4inch NPT	125PSI	304 stainless steel	



Model : **4G** ULTRAVIOLET WATER STERILIZER

4G UV


Specification Model No.	Flow rate (per minute)		Dimension
	Clean water	DI, R.O. Water	
A-141-10 (110V) A-141-5 (220V)	4Gpm/16Lpm	5Gpm/20Lpm	64 x 512mm
Inlet/Outlet size	Max. Working pressure	Chamber/ housing	
1/2inch NPT	125PSI	304 stainless steel	



Model : **6G** ULTRAVIOLET WATER STERILIZER

6G UV

Specification Model No.	Flow rate (per minute)		Dimension
	Clean water	DI, R.O. Water	
A-141 (110V) A-141-1 (220V)	6Gpm /24Lpm	7Gpm /28Lpm	64 x 680mm
Inlet/Outlet size	Max. Working pressure	Chamber/ housing	
1/2inch NPT	125PSI	304 stainless steel	



Model : **12G** ULTRAVIOLET WATER STERILIZER

12G UV

Specification Model No.	Flow rate (per minute)		Dimension
	Clean water	DI, R.O. Water	
A-142 (110V) A-142-5 (220V)	12Gpm /48Lpm	14Gpm /56Lpm	83 x 900mm
Inlet/Outlet size	Max. Working pressure	Chamber/ housing	
3/4inch NPT	125PSI	304 or 316 stainless steel	



Model : **24G** ULTRAVIOLET WATER STERILIZER

24G UV

Specification Model No.	Flow rate (per minute)		Dimension
	Clean water	DI, R.O. Water	
A-191 (110V) A-191-1 (220V)	20Gpm /80Lpm	24Gpm / 96Lpm	100 x 900mm
Inlet/Outlet size	Max. Working pressure	Chamber/ housing	
1inch NPT	125PSI	304 or 316 stainless steel	



WATER-POSTING U.V. STERILIZER

AQUARIUM UV

- A-141-7 SUV-300 UV Water Sterilizer (14W)
Dimension:ø 1-1/4" x 38mm x 307 mm
- A-141-8 SUV-670 UV Water Sterilizer (32W)
Dimension:ø 1-1/4" x 38mm x 677 mm
- A-141-9 SUV-895 UV Water Sterilizer (39W)
Dimension:ø 1-1/4" x 38mm x 902 mm



THE BALLAST OF 1G/2G

- C-162-4 THE BALLAST OF 1G UV
220V/6W (2 TOP PINS)
- C-161-4 THE BALLAST OF 1G/2G UV
220V/14W (SINGLE TOP 4 PINS)



THE BALLAST OF 4G/6G/12G/24G

- C-166 THE UV BALLAST OF 4G/6G/12G/24G
(110V/220V)(24W-39W)(SINGLE TOP 4 PINS)

UV 燈管&石英管

UV Lamp & Quartz Tube Sleeve



UV Lamp & Quartz Tube Sleeve Specification

Two Top Bin-Pins Horizontal Quartz Germicidal Lamp

Model No.	UV LAMP	LAMP MODELS	WATT	VOLT	CUR	DIAMETER	LENGTH
C-255-4	1G	UVC-S212T5	6W	50V	150mA	15.5mm	212mm

Single Top Four Pins Horizontal Quartz Germicidal Lamp

Model No.	UV LAMP	LAMP MODELS	WATT	VOLT	CUR	DIAMETER	LENGTH
C-255-5	1G	UVC-D212T5	14W	32V	400mA	15.5mm	212mm
C-255	2G	UVC-D287T5	14W	42V	425mA	15.5mm	287mm
C-255-10	4G	UVC-D450T5	24W	60V	425mA	15.5mm	450mm
C-256	6G	UVC-D645T5	32W	85V	425mA	15.5mm	645mm
C-257	12G / 24G	UVC-D842T5	39W	108V	425mA	15.5mm	842mm

Quartz Tube Sleeve

Model No.	QUARTZ TUBE SLEEVE	FOR	DIAMETER	LENGTH
C-258-5	QTS-230238S	For 1G UV Lamp	23mm	238mm
C-258-1	QTS-230330	For 2G UV Lamp	23mm	330mm
C-258-6	QTS-230500	For 4G UV Lamp	23mm	500mm
C-258	QTS-230670	For 6G UV Lamp	23mm	670mm
C-259	QTS-230895	For 12G / 24G UV Lamp	23mm	895mm

Two Top Bin-Pins



Single Top Four Pins



壓力桶 Storage Tanks & 不銹鋼桶 s.s Tank



Water Storage Tank

Part No	Product name
C-102	2.0GAL STEEL TANK-WHITE (1/4" NPT)
C-101-1	2.2GAL STEEL TANK-WHITE (1/4" NPT)
C-101-3	2.2G WHITE PLASTIC TANK (1/4" NPT)
C-103	3.2GAL STEEL TANK-WHITE (1/4"NPT)
C-100	4GAL PLASTIC TANK-WHITE 1/4" NPT (19L)
C-108-2	5.5GAL STEEL TANK-WHITE (1/4" NPT)
C-110-1	11GAL STEEL TANK-WHITE (1"BSP)
C-118-1	20GAL STEEL TANK-WHITE (1"BSP)
C-118-3	28GAL STEEL TANK (1" BSP)
C-118-4	40GAL STEEL TANK (1" BSP)
C-118-2	82GAL STEEL TANK (310 LITERS) (EG TANK VALVE INCLUDED)



Stainless Steel Tank for the Softener

Part No	Product name
C-112-8	STAINLESS STEEL TANK FOR THE SOFTENER(4L) 120X370MM
C-118-9	STAINLESS STEEL TANK FOR THE SOFTENER(9L) 150X485MM
C-118-10	STAINLESS STEEL TANK FOR THE SOFTENER(13L) 150X720MM
A-159	WATER SOFTNER (STAINLESS STEEL) (1/4") 150X450MM
A-160	WATER SOFTNER (STAINLESS STEEL) (1/2") 150X590MM
A-160-1	WATER SOFTNER (STAINLESS STEEL) (1/2") 150X650MM



HIGH BASE

Stainless Steel =S.S

Stainless Steel Water Tower

Part No	Product name
C-116	200 LITERS TANK WITH HIGH BASE (60X220MM)
C-116-1	200 LITERS TANK WITH S.S. HIGH BASE (60X220MM)
C-113	200 LITERS TANK WITH LOW BASE (60X160MM)
C-113-1	200 LITERS TANK WITH S.S. LOW BASE (60X160MM)
C-114	300 LITERS TANK WITH LOW BASE (75X160MM)
C-115	500 LITERS TANK WITH S.S. LOW BASE (90X160MM)
C-115-1	1,000 LITERS TANK WITH S.S. LOW BASE (90X160MM)



Wall Mounted S.S Tank

Part No	Product name
C-112	9 LITERS TANK (FAUCET & TUBE INCLUDED)180*425 MM
C-112-1	12 LITERS TANK (FAUCET & TUBE INCLUDED)180*510 MM